






ЛАМЕЛЬ





ЗАГЛУШКА НИЖНЕЙ ПЛАНКИ

#### нижняя планка











# С80/С80L - УДЛИНИТЕЛЬ КРОНШТЕЙНА


КОЛ-ВО КРОНШТЕЙНОВ НА ШИРИНУ ИЗДЕЛИЯ				
ШИРИНА ИЗДЕЛИЯ (ММ)		КОЛ-ВО КРОНШТЕЙНОВ (ШТ)		
500	1600	2		
1610	2400	3		
2410	3200	4		
3210	4000	5		
4010	4500	6		





















# **C80/C80L** - ЗАГЛУШКА УДЛИНИТЕЛЯ КРОНШТЕЙНА














Н - ВЫСОТА ИЗДЕЛИЯ (ММ)	ВЫСОТА СТОПКИ (ММ)	КОРОБ (ММ)	
VIOAETIVIT (WINT)	CTOTIKAL (MIM)		
610 ÷ 800	140		
810 ÷ 1000	150	130	
1010 ÷ 1200	160	170	
1210 ÷ 1400	170	170	
1410 ÷ 1600 180			
1610 ÷ 1800	190	200	
1810 ÷ 2000	200		
2010 ÷ 2200	210		
2210 ÷ 2400	220		
2410 ÷ 2600	220	250	
2610 ÷ 2800	230	250	
2810 ÷ 3000	240		
3010 ÷ 3200	250		
3210 ÷ 3400	260		
3410 ÷ 3600	270		
3610 ÷ 3800	280	300	
3810 ÷ 4000	290		
4010 ÷ 4200	300		
4210 ÷ 4400	310		
4410 ÷ 4600	320	240	
4610 ÷ 4800	330	340	
4810 ÷ 5000	340		











МОНТАЖ НА ПРОЕМ

# **С80/С80L** - ЗАЩИТНАЯ ПАНЕЛЬ ТИП 2







МОНТАЖ НА ПРОЕМ






## **C80/C80L** - БОКОВАЯ КРЫШКА ТИП 1





<b>S</b> - ШИРИНА (ММ)	<b>h</b> [mm]	Н высота изделия (мм)
	200	610 ÷ 1000
	250	1010 ÷ 1800
120	300	1810 ÷ 2600
120	340	2610 ÷ 3200
	370	3210 ÷ 3800
	440	3810 ÷ 5000


#### СИСТЕМА КРЕПЛЕНИЯ ТРОСА




## ГАБАРИТНЫЕ РАЗМЕРЫ КРОНШТЕЙНА

Α	В	С	
15mm	36mm*	46mm	
29mm	50mm	60mm	
55mm	76mm	86mm	
83mm	104mm	114mm	
111mm*	132mm*	142mm	
139mm*	160mm*	170mm	

 $<sup>^{*}</sup>$  - ПО ЗАПРОСУ, ДОЛЬШЕ ВРЕМЯ ИЗГАТОВЛЕНИЯ












## ЕДИНЫЙ И ДВОЙНОЙ КРОНШТЕЙН



# КРОНШТЕЙНЫ ПОД ТРОС СТАНДАРТНЫЕ





#### 3 ВИДА КРОНШТЕЙНОВ:

0 27.47.11.10 2.1					
	Α	В	С		
вид 1	50 mm	90 mm	106 mm		
ВИД 2	87 mm	127 mm	144 mm		
вид з	125 mm	165 mm	180 mm		





### ВАРИАНТЫ КРЕПЛЕНИЯ КРОНШТЕЙНА ТРОСА

